A hereditary methemoglobinemia case: Estimation of tissue oxygenation

Maria Kipourou,¹
Evangelos Ntinapogias,¹
Xristos Georgopoulos,²
Xristoforos Mpikas,¹
Anna Savvaki,³
Pavlos Michailopoulos,¹
Konstantinos Katsoulis¹

¹Pulmonology Department, ²Haematology Department, ³Intensive Care Unit, 424 General Military Hospital, Thessaloniki,

SUMMARY

We present the case of an adult patient presenting with clinical features suggestive of asthmatic bronchitis due to respiratory tract infection and a low pulse oximetry reading, who was finally diagnosed suffering from hereditary methemoglobinemia. Presence of a wide discrepancy in haemoglobin oxygen saturation, as assessed by pulse oximetry (SpO_2) and arterial blood gas analysis (SaO_2), along with normal arterial blood partial pressure of oxygen (PaO_2) are findings highly suggestive of elevated methemoglobin concentration. Measurements of SpO_2 and SaO_2 are, due to technical reasons, unreliable in cases of, either hereditary or due to exposure to an oxidizing agent, Methemoglobinemia and alternative methods estimating tissue oxygenation have to be used. *Pneumon 2017, 30(3):188-191.*

CASE REPORT

We report the case of a 48-year-old male, with no previous medical history, who presented with wheezing and symptoms suggestive of respiratory infection at the outpatient Pulmonary Clinic. His physical examination revealed mild expiratory wheezing and a low pulse oximetry reading (SpO₂) of 86%. His chest X-Ray was normal and spirometry findings were within normal limits (FVC: 86%, FEV1: 96%, FEV1/FVC: 91%). Bronchodilatation test was negative, though post FEV₁ was markedly increased by 300ml. Given that neither the radiologic nor the spirometry findings were compatible with the patient's low SpO₂, he was referred for cardiology evaluation and Computed Tomography angiography, both of which were negative for cardiac disease or pulmonary embolism. Arterial Blood gas analysis (ABGs) were pO₂: 78mmHg, pCO₂: 36mmHg, pH: 7,41, SaO₂: 96%, HCO3: 22,5mEq/L. Alveolar-arterial Gradient was elevated (27 mmHg). Since SaO₂ and pO₂ were normal, a macrolide antibiotic, as well as inhaled corticosteroid in a fixed combination with a long acting beta adrenoceptor agonist, were prescribed.

Four days later he came back for re-evaluation and significant clinical improvement was noted. However, his SpO_2 reading was still abnormal at

Correspondence:

Greece.

Maria Kipourou, Pulmonology Department, 424 General Military Hospital, Thessaloniki, Greece Tel.: +30 6947825795 e-mail: mariakipo@hotmail.com 86%, leading to a new ABGs analysis on a different blood gas analyzer, with the following results: pO₂: 76mmHg, pCO₂: 38mmHg, pH: 7,423, SaO₂: 96,7%, HbO₂: 83,6%, COHb: 0,7%, HHb: 2,9%, MetHb: 13%, HCO3: 24,2mEq/L.

The high methemoglobin (MethHb) level of 13% was consistent with the patient's low SpO₂ reading and suggestive of methemoglobinemia. Upon closer inspection mild peripheral cyanosis of the fingernail beds was noted (Figure 1), which had been observed for years by the patient and his family members, with no apparent worsening recently. Two weeks later and after discontinuation of all medication, patient had fully recovered, while a new ABG sample confirmed the presence of MetHb at high levels. The patient was advised on avoidance of oxidative agents (e.g. local anesthetics, antibiotics and common household products, such as naphthalene) and was referred to an Haematology specialist for further evaluation and genetic testing to confirm the diagnosis of hereditary methemoglobinemia. Unfortunately such genetic testing is not available in any laboratory in Greece.

Given the fact that his MethHb was elevated at two different time points, there had been no prior oxidising agent exposure, comprehensive physical and laboratory testing were normal, and in view of the peripheral cyanosis present for several years according to the patient himself, final diagnosis of hereditary methemoglobinemia was reached.

DISCUSSION

The most interesting point regarding this case report is the wide discrepancy in haemoglobin oxygen saturation, as assessed by pulse oximetry and arterial blood gas analysis, which are the two most commonly used methods in clinical practice. Haemoglobin oxygen saturation measured by pulse oximetry (SpO₂) was 84-86%, while measuring on a blood gas analyzer (SaO₂) it was 96-97%. The SaO₂-SpO₂ difference is called the satura-



FIGURE 1.

tion gap, which is normally no more than 5%, whereas higher results should always raise high clinical suspicion of methemoglobinemia¹⁻³ (in this case: Saturation Gap= SaO_2 - SpO_2 =96%-85%=11%).

Methemoglobin (MethHb) is produced by haemoglobin oxidation, during which the iron in the heme group (which is in the Fe2+- ferrous-state) loses an electron and changes to the Fe3+-ferric-state.1,2,4 Along with carboxyhemoglobin (COHb) and sulfhemoglobin (SHb), MethHb is one of the dyshemoglobins (dysHb), which are abnormal Hb derivatives incapable of reversibly binding with oxygen.5 Haemoglobin oxidation to MetHb has two important effects. The first one is that MetHb cannot bind with O₂, and therefore does not contribute to O2 transfer to the tissues. Secondly, ferric iron in partially oxidised Hb (by means of allosteric modulation) increases its O2 affinity, hindering oxygen release to the tissues, and therefore causing a leftward shift of the oxygen-hemoglobin dissociation curve. 1,2,4,5 When MetHb concentration increases, both these mechanisms are responsible for the resulting tissue hypoxia, and the upcoming wide clinical presentation, varying from asymptomatic peripheral cyanosis (when MethHb concentration is up to 15%) to death (when MetHb concentration exceeds 70%).1,2,4

Assessing tissue oxygenation in methemoglobinemia is challenging. MetHb absorbs light at both wavelengths used in pulse oximetry (660 and 940nm), at the same or even higher level than oxyhemoglobin (O_2 Hb) and deoxyhemoglobin (HHb), leading to inaccurate results. ⁵⁻⁷ Animal studies since the '90s have shown that pulse oximetry yields results that lead to either over- or underestimation of tissue oxygenation (depending on whether SpO₂ is over or under 70%). Moreover, pulse oximetry in methemoglobinemia rarely exceeds the value 85%. ⁶⁻⁷

On the other hand, blood gas analysis is also unreliable as in most commonly used ABGs analyzers, SaO_2 is not directly measured but is rather calculated, by means of the PaO_2 measurement and the normal Hb- O_2 dissociation curve.² Although PaO_2 is within normal limits in methemoglobinemia, the Hb- O_2 dissociation curve is shifted to the left, resulting in false SaO_2 calculation.

The only reliable non-invasive method to detect MetHb and estimate tissue oxygenation at the same time is by means of the new technology CO-oximeters. While the widely used pulse oximeters measure light absorbance in 2 wavelengths, CO-oximeters can reliably detect and measure not only HbO₂ and HHb but also all dyshemoglobulins, by measuring light absorbance in at least 6 wavelengths. They are invaluable tools in every day

clinical practice, although their use is still not very popular.

Regarding this case, since there was no CO-oximeter available, we calculate the oxyhemoglobin fraction (FO₂Hb), by using the data from the second ABGs analysis:

FO₂Hb=HbO₂/(HbO₂+HHb+COHb+MethHb)=83,6%

Oxyhemoglobin fraction is a reliable tissue oxygenation index, which is practically equal to SpO_2 and SaO_2 , in the absence of dysHbs.^{1,2,5} In this case, FO_2 Hb was approximately 84% of the total Hb, pulse oximetry (SpO_2) resulted in a slight overestimation (84-86%) and SaO_2 in ABGs was utterly false (96%).

Any oxidising agent (e.g. drugs, smoke, inhaled toxic substances) can theoritically lead to MetHb formation and this practically happens constantly. Natural reducing systems maintain the levels of MetHb under 2%, with the most important system being NADH-Methemoglobin reductase (NADH-NR). NADH-NR is responsible for the endogenous reduction of MetHb, corresponding to 99% of the reducing activity, 1,2,4 by transfer of one electron from NADH to MetHb, thus reducing heme Fe³⁺ to Fe²⁺. 1,2,4 NADH-MetHb reductase synthesis is encoded by by the CYB5R3 gene in chromosome 22q13qter, whereas more than 40 mutations have been identified in cases of hereditary methemoglobinemia.

Initial misdiagnosis of asthma or Chronic Obstuctive Pulmonary Disease (COPD), late diagnosis and lack of laboratory confirmation (due to lack of proper equipment) of the diagnosis are common features among the limited reported cases of hereditary methemoglobinemia diagnosed in adult life. ¹⁰⁻¹⁴ In order to overcome these technical difficulties, simple diagnostic tests are proposed in order to reach diagnosis. ^{2,5,15} The simplest method proposed is by assessing the arterial blood sample colour, which is dark brown (chocolate) when MetHb >20%, as is evident on our patient's sample in figure 2. ^{1,2,14} Additionally, while HHb (which is also dark coloured) turns bright red when exposed to O_2 (either by enriching the blood sample with 100% O_2 bubbles or by exposing a single blood drop to room air), MetHb maintains it's dark brown colour.



FIGURE 2.

Although the reported cases of hereditary methemoglobinemia in adults in the literature are limited, 3,9,11-13 the clinical presentation and the diagnostic and tissue oxygenation evaluation methods discussed are also applicable in the far more common cases of acquired methemoglobinemia due to an oxidising agent exposure. It is noteworthy that, in a recent review, 11 cases of acquired methemoglobinemia due to lidocaine use during bronchoscopy were reported, while the reviewers suggest that methemoglobinemia is probably underdiagnosed in every day practice¹⁶.

In conclusion, high clinical suspicion is the key prerequisite for methemoglobinemia diagnosis 17 and should be high in every case of peripheral cyanosis with normal PaO₂ unresponsive to oxygen therapy.

REFERENCES

- Cortazzo AJ, Lichtman DA. Methemoglobinemia: a review and recommendations for management. Journal of Cardiothoracic and Vascular Anesthesia 2014;28:1043-7.
- 2. do Nascimento TS, Pereira ROL, de Mello HLD, Costa J. Methemoglobinemia: from diagnosis to treatment. Revista Brasileira de Anestesiologia 2008;58:651-64.
- 3. Warang PS, Kedar P. Erythrocytosis, methemoglobinemia, and the saturation gap. Ann Hematol 2015;94:509-10.
- 4. Rehman HU. Methemoglobinemia. West J Med 2001; 175:193-6.
- Haymond S, Cariappa R, Eby CS, Scott MG. Laboratory assessment of oxygenation in methemoglobinemia. Clinical Chemistry 2005;51:434-44.
- Barker JS, Tremper KK, Hyatt J. Effects of methemoglobinemia on pulse oximetry and mixed venous oximetry. Anesthesiology 1989;70:112-7.
- Barker JS, Badal JJ. The measurement of dyshemoglobins and total hemoglobin by pulse oximetry. Current Opinion in Anesthesiology 2008;21:805-10.
- 8. Forestier A, Pissard S, Cretet J, et al. Congenital recessive methemoglobinemia revealed in adulthood: Description of a new mutation in cytochrome b5 reductase gene. Hemoglobin 2015;39:438-41.
- Londhey V, Khadilkar K, Gada J, Chawla B. Congenital methemoglobinemia: a rare cause of cyanosis in an adult patient. The Journal of the Association of Physicians of India 2014;62:269-71.
- 10. Awasthy N, Khan N, Radhakrishnan S. Methemoglobinemia: Arterial blood gas as a diagnostic tool. Indian Heart Journal 2014;66:394-5.
- 11. Wall LJ, Wong BJ, Kinderknecht JK, Farrior KL, Gabbay SD. Two cases of methemoglobinemia In a military community hospital. Canadian Family Physician 2016;62:140-44.
- 12. Tasci C, Nevruz O, Candir N, Bilgic H. A methemoglobin-

emia case who was previously diagnosed and treated as asthma. Respiratory medicine case reports 2012;6:11-2.

13. You-Jin Chang, Haider Ali, Adrian Draper, Felix Chua. An

unusual cause of cyanosis in a patient with COPD. BMJ Case Reports 2013; doi:10.1136/bcr2012008092.